

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.91



*Winter Blooming Heathers*

**1947**

# *Plant List*



**L. N. ROBERSON CO.**

**1540 East 102nd Street**

**VERMONT 1189**

**SEATTLE 55, WASHINGTON**

# Greetings, Customers!

OUR NURSERY offers the following as a means of letting the public know what type of plants we raise. Many names are omitted for lack of space but we will always be glad to have you write or call about other species which we may have in small quantities.

Visitors are always welcome but our small staff makes it impossible for someone to be available at all hours, so we suggest, for your convenience as well as ours, that you telephone first when planning a visit to us, especially when coming from any great distance. Closing time—4:30 P. M.; open Sundays by appointment only.

Mail orders are given prompt attention although shipping is limited to once or twice a week. Packing for shipment is gratis but PARCEL POST or EXPRESS charges are to be paid by the customer as is the RETAIL SALES TAX for Washington customers and these amounts should be included in your check or money order. No mail order under \$2.00, please!

We attempt to name plants correctly but no guarantee is expressed or implied. Growing conditions affect plants so much that they may look entirely different in your garden than they did in the nursery. They leave us in good condition and should do well if properly grown. The very fact that our supply of a certain size or type of plant may be exhausted before the season passes makes it impossible to assure mail order customers that we can meet all demands so it is always advisable to state whether you wish a substitution or a refund in case we cannot fill the order as sent.

In order to give the most information possible in the least space, each plant name is followed by the color of the flower, ultimate height or height of blossom—whichever applies, and approximate time of flowering. All plants with the exception of "rooted cuttings" are ready to set out into the garden although different groups may vary in maturity. A dwarf shrub is comparatively young and small at three to five years while an herbaceous perennial should be divided and reset that often.



**BELLIS.**  
English Daisy.

# Rock Plants

A good rock garden demands special attention to the soil when planting. Sandy loam, peat moss and well rotted manure in equal portions provide a good base soil for general use. Plants with special requirements may have other ingredients added.

Be sure no air pockets are left when working with the soil, either when the rocks are set or when plants are put in. The plant roots should be firmed well at the time of transplanting and after any freezing weather which might cause them to be heaved from the ground. Such plants as dianthus and saxifrage profit from having the dead blossoms removed after flowering unless seed is desired.

AETHIONEMA WARLEY ROSE—rose-pink, 6", June .....	\$ .50
AJUGA METALLICA CRISPA—blue, 3", summer.....	.35
ALYSSUM SAXATILE—Basket-of-Gold—yellow, 10", April.....	.25
A. S. SULPHUREUM—an improved form .....	.50
ANDROMEDA POLIFOLIA MONTANA—pink, 8", April .....	1.00
A. P. GRANDIFLORA COMPACTA—very dwarf, gray foliage.....	1.00
ANEMONE APENNINA—blue, 6", March.....	.50
ANEMONE NEMEROSA ALLENI—lavendar blue, 8", April.....	.50
A. N. ROBINSONIANA—blue, 8", April .....	.50
A. PULSATILLA—lavendar, 6" to 12", March .....	.35
A. P. ALBA—white, 10", March .....	.75
A. P. RUBRA—reddish purple, 8", March .....	.75
A. SYLVESTRIS—pure white, 10", May .....	.50



*Anemone nemerosa Alleni*

AQUILEGIA ALPINA—deep blue, 12", May .....	.35
A. FLABELLATA NANA—ashy blue, 6", April .....	.50
A. F. N. ALBA—same as above in white, short spurs .....	.50
ARABIS—unclassified evergreen variety, white, 6", April.....	.25
A. ALPINA—white, 4", March .....	.25
A. A. FLORE PLENO—double white, 10", April .....	.25
A. A. ROSEA—mauve, 4", March .....	.25
A. A. VARIEGATA—yellow edges to leaves, white flowers .....	.25
ARMERIA CAESPITOSA—pink, 3", May .....	.50
A. MARITIMA—Sea Thrift—deep rose, 8", May .....	.25
ARTEMISIA SCHMIDTIANA NANA—silver foliage, 4" to 8" .....	.50
ASTIBLE CHINESIS PUMILA—soft rose, 8", May .....	.50
AUBRIETIA CARNIVAL, CRIMSON KING, GRAECA, DR. MULES ....	.50
AUBRIETIA MONARCH STRAIN—mixed colors, 4", March .....	.25
BELLIS PERENNIS—pink or white, 6", long season .....	.25
B. P. DRESDEN CHINA—miniature, pink, 3", May .....	.25
B. P. KELWAY'S DOUBLE CRIMSON—quilled red, 6", May .....	.25
BUXUS SUFFRUTICOSUS—dwarf English Box—12" .....	\$ .75 and 1.50
CAMPANULA GLOMERATA ACAULIS—purple, 4", June .....	.50
C. MIRANDA—light blue, 7", May.....	.25
C. NITIDA ALBA—evergreen foliage, white, 10", June.....	.25
C. PIPERI—from the Olympic Mountains, blue, 2", June .....	.75
C. PORSCHARSKYANA—easy to grow, ashy blue, 6", May.....	.25
C. PUSILLA—bell-shaped flowers, lavender blue, 4", May .....	.25
C. P. ALBA—similar but with white flowers .....	.25
C. RADDEANA—deep violet, 12", May .....	.25
C. ROTUNDIFOLIA NANA—Bluebells—6", May.....	.25
CERATOSTIGMA PLUMBAGINOIDES—rich blue, 8", August.....	.35
CERASTIUM TOMENTOSUM—Summer Snow—white, 8", July.....	.25
CHRYSANTHEMUM AMELIA—pink or white, 18", August.....	.50
C. GLORYMUM—yellow with red tips, 18", July.....	.50
C. SANTA CLAUS—red backed with buff, 18", August.....	.50
CISTUS LAURIFOLIUS—white, many yellow stamens, 3', July .....	.75
COTONEASTER ADPRESSA—deciduous, spreading .....	1.50
C. HORIZONTALIS—deciduous, bright red berries .....	.50
C. HUMIFUSA RADICANS—flat to the ground, evergreen.....	.50
C. TIBETICUS—gray-green foliage, 4' .....	2.00
DAPHNE CNEORUM—plain or variegated, pink, fragrant .....	.50
D. ODORA—shiny evergreen leaves, pink, 4', early.....	.75



*Dianthus graniticus*

DIANTHUS ANNIE LAURIE—pink, 6", June.....	.35
D. BARBARTUS—midget Sweet William—mixed, 8", July.....	.35
D. CAESIUS—small pink flowers, 4", June.....	.50
D. CARYOPHYLLUS—Carnation—pink, 10", summer.....	.35
D. COCCINEUS—bright red, creeping, June.....	.25
D. GRANITICUS—deep pink, small flowers, 6", June.....	.25
D. LITTLE JOE—rosy red, 10", all summer.....	.50
D. NEGLECTUS—cherry red, 4", June.....	.50
D. PLUMARIUS—Cinnamon Pink—pink, 10", June.....	.35
D. P. ELINOR—rosy red with dark eye, 12", summer.....	.35
D. STERNBERGI—white with fringed petals, 8", August.....	.35
DOUGLASIA LAEVIGATA OLYMPICA—rose, 3", April.....	50c and 1.00
D. VITALIANA—citron yellow, 3", May.....	.75
DRABA OLYMPICA—mustard yellow, 4", May.....	.50
DRYAS SUMDERMANNI—white anemone-like flowers, 6", May.....	.50
ERINUS ALPINUS—dark green tufts, lavender, 6", May.....	.35
ERYSIMUM PULCHELLUM—orange or sulphur yellow, 6", April.....	.25
ESCALLONIA ALBA—white, 6', July, profuse bloomer.....	.75
E. APPLE BLOSSOM—pink, 6', July.....	.75c and 2.00
E. RUERUM—garnet, 4', July, sprawling habit.....	.75
GAULTHERIA HISPIDA—decumbent, red-tipped foliage.....	.75
G. MIQUELIANA—very low growing, white berries.....	.50
G. NUMMULARIODES—small hairy leaves.....	.50
GENTIANA ACAULIS—rich blue, 3", early spring.....	1.00
G. CALYCOSA—native to our mountains, bright blue, 10".....	1.00
G. EXCISA—brilliant blue, 3", early spring.....	1.00
G. SINO ORNATA—bright blue funnel shaped flowers, 4".....	.75
GERANIUM SANGUINEUM—magenta, creeping, July.....	.25
G. S. ALBUM—white, up to 15", July.....	.25
G. S. LANCASTRIENSE—pink, creeping, slow growing, July.....	.50
GEUM BORISI—vivid orange, 18", August.....	.50
GLOBULARIA CORDIFOLIA—steel blue, 3", June.....	.50
GORMANIA LAXA—fleshy leaves, similar to sedums.....	.25
GYPSOPHILA ARETIODES—mossy foliage, 1", summer.....	.75
G. REPENS ROSEA—trailing, pink, 3", summer.....	.50
HEDERA HELIX—Small Leaved Ivy.....	.25
H. H. CONGLOMERATA—very slow growing creeper.....	.75
H. H. C. ERECTA—Tree Ivy—2' to 3'.....	.50
HELIANTHEMUM VULGARE—Rock Rose or Sun Rose—8", July.....	.50
Apricot, Ben Ledi (red), Ben Nevis (yellow and orange), Brunette (burnt orange), Fireball (double red), Peach Blossom, Shrimp, Wendell's Rose, White, and Yellow (single and double).	
HELLEBORUS ORIENTALE—3-year seedlings, white to maroon.....	1.00
HEUCHERA SANGUINEA—Coral Bells—14", May.....	.35
HORMINUM PYRENAICUM—crinkled leaves, purple, 10", May.....	.35
HYPERICUM ANAGALLOIDES—tiny creeper for wet places.....	.50
IBERIS SAXATILIS HYBRID—white, 6", May, compact.....	.50
I. SEMPERVIRENS—sturdy spreading shrub, white, 10".....	.50
ILEX CRENATA—small leaved holly, purple berries.....	.35c and .75
IRIS CRISTATA ALBA—white, 8", July, very dainty.....	.50
I. LACUSTRIS—lavender, 6", April.....	.50
I. PUMILA JEAN SIRET—yellow, 8", May.....	.50
I. P. PAPOOSE—tan blend, 8", May.....	.50
I. RUTHENICA—blue-purple, 8", May, grassy foliage.....	.35
I. TECTORUM—blue, 14", May, flower flat-topped.....	.50

LAVENDULA ATROPURPUREA NANA—French Lavendar—dwarf.....	.50
L. STOECHAS—purple, 2', June, unusual .....	.50
LEDUM GLANDULOSUM—yellow green foliage.....	.50
L. PALUSTRE—Labrador Tea or Wild Rosemary--18", May .....	.50
LEWISIA COLUMBIANA—tiny flowers, pink, 6", May.....	.50
L. C. ROSEA—larger flowers, deep rose, 6", May.....	.50
L. TWEEDYI—apricot, 5", May, spoon-shaped leaves .....	.50
LITHOSPERMUM PROSTRATUM—gentian blue, 3", May .....	.50
L. P. GRACE WARD—lighter blue, 4", May, larger flowers .....	.50
LUPINUS LYALLI—blue, 3", June, very gray foliage .....	.75
LYCHNIS ALPINA—deep rose pink, 4", June.....	.35
MAHONIA AQUIFOLIUM—Tall Oregon Grape—yellow, 4', April ...	1.50
NEPETA MUSSINI—lavendar, 12", July .....	.25
N. M. SIX HILLS—taller, more robust, blue-lavendar.....	.25
N. M. SUPERBA—prostrate, fine for rock walls .....	.25
OMPHALODES CAPPADOCICA—clear light blue, 6", April .....	.50
O. VERNA—Creeping Forget-Me-Not—blue, 6", April.....	.35
PENSTEMON MENZIESII—purple to lavendar, 3", May .....	.50
P. RUPICOLA—red, 6", May, gray leaves, difficult.....	.50
P. R. ALBA—pure white, 6", May.....	.50
P. R. ROSEA—very light pink, 6", May.....	.50
P. SALMON LA SAC—deep rose, 12", May.....	.75
P. SCOULERI—purple, 10", June.....	.75
PHLOX SUBULATA, ALBA, APPLE BLOSSOM, ATROPURPUREA, BLUE HILLS, CAMLENSIS, pink, SPRITE, lavendar.....	.25
PIERIS FLORIBUNDA—creamy white panicles, 3', Feb....	\$1.50 and 2.50
POLEMONIUM ELEGANS—blue with yellow eye, 3", April.....	.50
POTENTILLA CINERA—bright yellow, 1", April.....	.50
P. COCCINEA—ruby red, trailing, May.....	.75
P. FRUCTICOSA MONTANA—yellow, 3", May, gray foliage .....	.75
P. TONGUEI—apricot with red center, trailing, June.....	.75
PULMONARIA LUTEA—sulphur yellow, 8", crinkled leaves .....	.25
P. SACCHARATA—Lungwort—blue, 4", March.....	.35
P. S. MRS. MOON—Spotted Dog—pink, 8", spotted leaves .....	.50
RANUNCULUS MONTANUS—Mountain Buttercup—3", May.....	.35
ROSES—Cameo (peach pink), Leprechaun (white to pink), Marr (red), Oakington Ruby, Pink Midget, Roulette.....	.50



*Penstemon rupicola*



*Silene Wherryi*

SANGUINARIA CANADENSIS—Bloodroot—white, 8", March .....	.25
SANTOLINA—Lavendar Cotton—yellow, gray foliage.....	.25
SAPONARIA OCCYMOIDES—bright pink, trailing, May.....	.50
SAXIFRAGA AEIZOON—Encrusted Saxifrage—white, 10".....	.25
S. A. ROSEA—rosy pink, smaller than preceding, April.....	.25
S. LINGULATA—white, 15", May .....	.25
S. MARGINATA—white with brown spots, 4", May.....	.25
S. MEGASEA CORDIFOLIA—pink, 18", March .....	.50
S. MEGASEA CRASSIFOLIA—cherry red, 12", March .....	.50
S. UMBROSA NANA—Dwarf London Pride—pink, 4", April .....	.25
SCABIOSA GRAMINAEFOLIA—Mourning Bride—1', June .....	.50
SEDUM ALBUM, MURALE, SEIBOLDI WATSONI, SPATHULIFOLIUM, SPATHULIFOLIUM ATROPURPUREUM, REFLEXUM, REFLEXUM CRISTATUM .....	.25
SEMPERVIVUM ARACHNOIDEUM—Spiderweb Hen-and-Chick ...	.25
S. TECTORUM—Old Man and Woman—2" to 5" rosettes .....	.25
SIEVERSIA CILIATA—rose, 12", June, looks like geum.....	.50
SILENE SCHAFTA—rosy pink, 6", autumn.....	.25
S. WHERRYI—brilliant pink, 5", June, spectacular.....	.50
SISYRINCHIUM BELLUM—Blue-Eyed Grass—8", May.....	.35
S. DOUGLASI—Grass Widow—purple, 10", April.....	.35
SPIREA BULLATA—deep rose, 15", July, crinkled leaves .....	.75
SPRAGUEA MULTICEPS—Pussy Paws—white to pink, low, May.....	.35
SYNTHYRIS RENIFORMIS—dark blue, 6", March.....	.50
TRIFOLIUM UNIFLORUM—an attractive clover, pink, low.....	.50
VERONICA CUPRESSOIDES NANA—bright green shrub.....	1.00
V. GUTHERIANA—soft blue, 6", June.....	.50
V. HECTORI—wiry branches akin to Cassiope in looks .....	1.00
V. RUPESTRIS—bright blue, trailing, May, robust.....	.35
V. RUPESTRIS NANA—lighter blue, 3", June, very small.....	.25
V. R. N. ROSEA—lavendar pink, 3", June, fast growing.....	.25
VIOLA ARENARIA ROSEA—dusky rose, 5", May, sun-loving .....	.25
V. ODORATA THE CZAR—white, 4", April, very fragrant.....	.25
V. O. ROSINA—old rose, 4", April, equally fragrant.....	.25



Showing the distinction between the two most common heaths.  
*Erica* on the left with small needles and *Calluna*  
 on the right with overlapping bracts.

## Heathers


Year round color of flowers and foliage are offered by the heaths. The soil for them should abound in peat moss; may be neutral or slightly acid; and, should contain plenty of well rotted manure. Prune heathers after flowering to keep plants low and compact.

In addition to the prices listed or where no price is given plants will be ready for late spring delivery at 50 cents each.

BRUCKENTHALIA SPICULIFOLIA—pink, 8", June.....	75c and \$ .85
CALLUNA VULGARIS ALBA—white, 15", summer.....	
C. V. ALPORTI—red purple, 18", August, stiff .....	.75
C. V. COUNTY WICKLOW—double pink, 10", August.....	75c and .85
C. V. FLORE PLENO—double lavender, 15", July.....	.75
C. V. FOXI NANA—pink, 4", July, compact.....	75c and 1.25
C. V. MRS. H. E. BEALE—double pink, 20", August .....	.75
C. V. MRS. J. H. HAMILTON—double rose, 8", September.....	
C. V. MCKAYI—pale lavender, 8", June, lovely .....	75c and .85
C. V. MINIMA—lavender, 6", June, mossy .....	.75
C. V. M. SMITH'S VARIETY—lavender, 6", July.....	1.00
C. V. NANA—lavender, 4", June, darker than Minima .....	.75
C. V. PYGMAEA—lavender, 8", June, light green .....	75c and .85
C. V. ROSAPHYLLUM—new—pink tips to foliage .....	
C. V. VARIEGATA—pinkish lavender, 15", June.....	.75
DABOECIA AZORICA—deep rose, low growing, July .....	1.00
D. POLIFOLIA—St. Daboec's Heath—purple, 15", July.....	1.00
D. POLIFOLIA ALBA—white, 4", September.....	.75
ERICA ARBOREA ALPINA—white, 4', September.....	75c and 1.50
E. CARNEA—Winter Heath—rosy purple, prostrate.....	
E. C. KING GEORGE—rose, December, one of the best .....	
E. C. SPRINGWOOD PINK—laden with flowers in February .....	.75
E. C. SPRINGWOOD WHITE—January, light green foliage .....	
E. C. VIVELLI—crimson, bronze foliage, January.....	

E. CILIARIS—rose, 10", July.	
E. CINEREA—reddish purple, 15", August, tolerates drought	
E. C. ALBA—white, 15", August, foliage light green	1.25
E. C. DOMINO—white with chocolate sepals, 9", August	
E. C. G. FORD—garnet, 10", July, slow growing	
E. C. GOLDEN DROP—foliage yellow tipped	75c and 1.00
E. C. RUBRUM—brilliant scarlet, 6", July	
E. DAWN—large soft pink flowers, 10", July.	.75
E. HYBRIDA MEDITERRANEA—rosy lavender, 12", January	.75
E. HYBRIDA WATSONI—rusty red, 12", August	.75
E. MACKIANA—frosted pink, 8", July	.75
E. McKAYI FLORE PLENO—double pink, 10", June	75c and .85
E. STRICTA—deep rose, 4-5', August	75c and 1.00
E. TETRALIX—soft pink, 12", June	65c and 1.00
E. T. ALBA—white, 15", June, stiff foliage	75c and 1.25
E. T. MOLLIS—white tinged with pink, 12", May	.75
E. VAGANS—Cornish Heath—lilac, 15", August	.75
E. V. ALBA—white, 15", August	
E. V. MRS. D. F. MAXWELL—bright rose, 15", September	
E. V. ST. KEVERNE—rose pink, 12", September	
E. WILLIAMSI—pink, 15", July, yellow foliage tips	.75
E. WYCH—large shell pink flowers, 18", June	.85
PHYLLODOCE EMPETRIFORMIS—rose red, 12", August	1.00

*Erica vagans* Mrs. D. F. Maxwell



# Conifers

Sun and moist sandy soil suit the dwarf spruce (picea) and juniper best while the majority of the other conifers in this list prefer richer soils, more moisture, and as much sun. There are suitable forms for every location in the rock garden and, if you have never used these low growing shrubs, you have missed an opportunity for interest and accent.

NOTE: Colors in descriptions refer to foliage.

CHAMAECYPARIS LAWSONIANA MINIMA—18", broadly conical	\$2.50
C. L. NANA—globose, blue-green, feathery, 10"	2.50
C. L. PISIFERA FILIFERA NANA—12", light green	2.50
C. PISIFERA DUMOSA—15", squat, silvery green balls	2.50
CRYPTOMERIA JAPONICA NANA—10", bronze in winter	2.50
JUNIPERUS MONTANA—gray foliage, creeping, slow	25c and .50
J. COMMUNIS COMPRESSA—18", columnar, gray	\$2.00 and 4.50
J. VARIEGATA—golden and green, prostrate	1.25
PICEA ABIES BREVIFOLIA—flat topped, 10", blue green	2.50
P. A. CLANBRASILIANA—18", dome shaped, dense	3.50
P. A. CONICA—pyramidal, 2-5', formal appearing	3.50
P. A. NIDIFORMIS—yellow green, 12", concave top	3.50

Left to right—*Cryptomeria japonica nana*, *Juniperus communis compressa* and *Picea abies pumila*. Foreground—*Selaginella*.





*Picea abies conica*

P. A. PROCUMBENS—looser growth, 15", longer needles.....	3.50
P. A. PUMILA—dark green, 12", short needles.....	3.50
P. A. REPENS—also loose growing, 15", yellow green.....	3.50
P. ORIENTALIS—slow growing tree of large size.....	8.00
PINUS MUGHO—spreading, compact.....	3.50
TAXUS CUSPIDATA AUREA—upright, new needles golden.....	2.50
T. C. NANA—irregular shape, 2'.....	\$2.00 and 5.00
T. REPANDENS—graceful, broadly spreading .....	2.50

## ***Dwarf Brooms***

Brooms like sunny banks and crannies where the soil is not particularly rich. Their gay flowers brighten the scene in late spring and early summer. Unusual effects can be created with the various unusual types of foliage.

CYTISUS ARDOINI—yellow, 8", June, soft leaves .....	\$ .50
C. DECUMBENS—bright yellow, prostrate, June.....	2.00
C. PURPUREUS—purple mauve, 18", May, graceful.....	1.00
GENISTA HORRIDA—yellow, 10", July, spiny.....	50c and 1.50
G. RADIATA—greenish yellow, 2', July, stiff.....	.50
G. SAGITTALIS—Arrow Broom—butter yellow, procumbent .....	.50

# Rhododendrons and Azaleas

Acid soil and plenty of water in late summer during the growing season will help to keep these choice shrubs in good health. To acidify neutral or alkaline soil use a pound of sulphur to 100 sq. ft. Dwarf rhododendrons and azaleas are particularly desirable for rock garden use since they are very slow growing.

AZALEA FLAME CREEPER—single orange red, 4"	\$2.50
A. HINODEGIRI ALBA—white, 15", May	1.25
A. HINODEGIRI FLAME—orange, 15", June	1.00
A. HINODEGIRI PINKIE—light pink, 12", June	1.00
A. LEDIFOLIA ALBA—white touched with pink, 2', April	.50
A. POUKENENSIS—light purple blotched with dark spots	1.50
RHODODENDRON CILIATUM—large soft pink, 2', May	.75
R. FASTIGIATUM—light purple, 2', April	\$1.00 and 3.50
R. FERRUGINEUM—Alpine Rose—carmine, 1', May	3.00
R. HIRSUTUM—rose, 2', May	50c and 3.50
R. IMPEANUM—lavendar, 10", April	1.00
R. IMPEDITUM—mauve, 15", April, gray leaves	\$1.00 and 3.50
R. MUCRONULATUM—rosy lavendar, 3', February	5.00
R. PEMAKOENSE—orchid, 8", March	.50
R. RACEMOSUM—clear pink, 4', April, scraggly growth	1.25
R. RADICANS—purple, 6", May	.75
R. RUBIGINOSUM—mauve with brown spots, 5', April	1.25
R. YANTHINUM—purple, lovely foliage	50c and 1.00

Seedlings of the following rhododendrons, 50c

AMBIGUUM  
AMESIAE

CHORANTHUM  
LEPIDOSTYLUM

PALUDOSUM  
SHELTONAE

*Azalea hinodegiri. alba*





*Rhododendron racemosum*

## Camellias

AKEBONO—rose, semi-double.....	\$1.25 and \$3.50
BELLE ROMANO—striped red and white .....	1.25 and 3.50
DAI KAGURA—rose red blotched with white.....	1.25
JARVIS RED—tufted center.....	1.25 and 3.50
LITTLE CHEERFUL—rosy red.....	1.25
SASANQUA ALBA—single, white, fall blooming.....	1.25
SASANQUA BRIAR ROSE—twisted petals of deep pink .....	1.25
THEA SINENSIS—Tea Plant—small white flowers .....	1.25
We also have some fine plants from which the labels are missing.	
Your choice .....	1.00

*Double Camellia*



# Creepers and Ground Covers


Many banks and narrow strips of ground which are unsatisfactory when planted in lawn become a source of great pleasure when planted with one or more of these low spreading plants. Requirements differ according to the plant. Those which are happy around and under ericaceous plants such as rhododendrons and azaleas are marked with an asterisk.

		<i>per flat</i>
ACAENA GLAUCA—gray foliage, inconspicuous flowers ..	\$ .25	\$2.50
A. MICROPHYLLA—fine, yellow-green leaves.....	.25	2.50
AJUGA GENEVENSIS—blue flowers, green leaves, May ..	.25	2.50
A. REPTANS RUBRA—purple flowers, bronzy leaves .....	.25	2.50
*ARCTOSTAPHYLOS INTERMEDIA—Kinnikinnick ....	.25	2.50
*A. UVA-URSI—Bearberry—lovely red fruit.....	.25	2.50
BELLIUM MINUTUM—miniature white to pink daisies .....	.25	2.50
COPTIS ASPLENIFOLIA—Gold Thread—finely cut leaves ...	.75	
C. LACINIATA—larger growing than preceding .....	.75	
*EPIMEDIUM LILACINA—lavendar, 8", shade loving .....	.50	
*E. MACRANTHUM ROSEUM—rosy pink, 12", shade .....	.50	
*E. NIVEUM—white, 8", shade.....	.50	
*E. PINNATUM SULPHUREUM—pale yellow, 15", shade.....	.50	
ISOTOMA FLUVIATILE—tiny white stars, blue striped.....	.25	2.50
EUONYMOUS RADICANS MINIMA—trailing .....	.25	

*Creeping Thyme*



LINNAEA BOREALIS—Twinflower—bronze leaves .....	.25	
LOTUS CORNICULATUS—yellow, pea-shaped flowers.....	.25	
LUTKEA PECTINATA—Partridge Foot or Alaska Spirea .....	.25	
MENTHA REQUIENI—matted leaves, giving off mint odor .....	.25	2.50
NIEREMBERGIA RIVULARIS—white cups, spring .....	.25	2.50
POLYGONUM VACCINAEFOLIUM—spikes of pink, August .....	.50	
SAGINA SUBULATA—white stars, mossy, summer.....	.25	2.50
SEDUM ACRE—bright yellow, July.....	.25	2.50
THYMUS SERPYLLUM—Creeping Thyme—white, red, laven- dar and woolly .....	.25	2.50
*VACCINEUM VITIS-IDAE—shell pink, 6", March... 75c and	1.00	
*VANCOUVERIA HEXANDRA—creamy flowers, 8", April....	.50	
VINVA MINOR — Periwinkle or Trailing Myrtle — blue, white, red-purple and blue with variegated leaves .....	.25	2.50



*Fuchsia Display*

## ***Fuchsias***

35c, 50c and up

RABY BUNTING  
COVENT GARDEN  
DISPLAY  
THE DOCTOR  
ELSA  
FANFARE

FRITZ KREISLER  
GIANT CASCADE  
KITTY O'DAY  
MACROSTIMMA ALBA  
MARGARITA  
OLDE DEL MONTE

PACIFICA  
PINK PEARL  
RICCARTONI  
ROLLO  
MRS. RUNDLE  
THOMASINA



*Trillium*

## **Bulbs and Some Native American Plants**

Small bulbs grouped throughout the rock garden or shrub border heighten the gaiety and color there in early spring. These should be moved when dormant.

	<i>Each</i>	<i>Per Doz.</i>
ALLIUM CUSICKII—Wild Onion.....	\$ .10	\$ .75
ARISOEMA TRIPHYLLUM—Jack-in-the-Pulpit .....	.25	2.50
ASARUM CAUDATUM—Wild Ginger—collected plants.....	.25	1.50
CLINTONIA UNIFLORA—Alpine Beauty—white.....	.25	1.50
CROCUS—purple, white and yellow mixed .....	.10	.75
DICENTRA CUCULLARIA—Dutchman's Breeches .....	3 for .65	2.00
ERYTHRONIUM—Dog-tooth Violet, Deer Tongue, or Avalanche Lily—fall delivery only.....	.15	1.50
IRIS RETICULATA—winter blooming, royal purple .....	.25	2.00
MUSCARI BOTRYOIDES—Grape Hyacinth .....	.10	.75
TRILLIUM GRANDIFLORUM—white .....	15c and .25	
T. UNDULATUM—Painted Trillium .....	20c and .30	

## **Herbs**

APPLEMINT, CATNIP, CHIVES, OLD MAN, PARSLEY or THYME ..	\$ .25
ROSEMARY or SAGE .....	.50

## **Seeds**

Seeds are not our specialty but some of our own are gathered and some collecting in the wild is done. We will be glad to receive your requests.

# Miscellaneous

*AMARYLLIS—mixed seedlings, three years old.....	\$ .50
BIGNONIA RADICANS—Trumpet Vine.....	1.50
*CAMPANULA ISOPHYLLA ALBA—Falling Star.....	.25
*C. I. MAIL—blue flowers, frosted leaves.....	.25
CONVALLARIA MAJALIS—Lily-of-the-Valley .....	.10
*FELICIA ROTUNDIFOLIA—Agathea—sky blue flowers .....	.25
FRAGARIA ALPINA—Alpine Strawberry—small, sweet fruit ...	.25
F. VESTUCA ALBA—white fruit of large size.....	.25
*GERANIUM SCARLET BEAUTY—new and brilliant.....	.50
PYRACANTHA COCCINEA—Firethorn .....	.75
*TIBOUCHINA or PLEROMA SPLENDENS—large purple flowers .....	.50

-----  
\* Tender

# Ladyslippers

The Ladyslippers are woodland denizens requiring leaf mold and chopped fern root to make them happy. A small amount of heat in the greenhouse will force them into bloom in March or they may be planted outside and left alone for late flowering. Their natural enemies are field mice, quail and pheasants from which a screen basket will offer some protection.

CYPRIPEDIUM ACAULE—rose, two leaves on ground.....	\$ .35
C. PUBESCENS—yellow and brown, leaves clasp stem .....	.35
C. SPECTABILE—Show Ladyslipper—pink and white.....	.35

*Cypripedium spectabile*



# Primroses

While rich loam and partial shade are considered prime requisites for fine primroses yet you find them flowering beautifully under many other conditions. Primroses begin to flower in earliest spring with the polyantha and acaulis varieties and continue for several months.

PRIMULA ACAULIS—mixed colors, 6", March.....	\$ .35
P. ACAULIS BLUE—various shades of blue, March .....	.50
P. ACAULIS DOUBLE WHITE—very slow to multiply .....	1.00
P. AURICULA—smooth leaves, mixed colors, 8", May.....	.50
P. AURICULA YELLOW .....	.75
P. CASHMERIANA—lavendar flowers in balls, 10", April.....	.50
P. JAPONICA—white to rose, 15", June, candelabra type.....	.50
P. JULIAE—crinkled leaves, claret colored flowers, 2".....	.50
P. X JULIANA DOROTHY—soft creamy yellow, 6", April.....	.50
P. X JULIANA HELENAE—burgundy red, creeping, April.....	.50
P. X JULIANA JEWEL—a new and fine hybrid.....	.50
P. X JULIANA MCGILLIVRAY .....	.75
P. X JULIANA RAE—wine colored flowers, sturdy growth.....	.50
P. X JULIANA ROSEA—orchid, 4", April.....	.75
P. X JULIANA WANDA—deep purple, 6", March.....	.50
P. POLYANTHA—mixed colors, 8", March.....	.35
P. POLYANTHA YELLOW .....	.50

*Primula polyantha*





*Primula cashmeriana*

## **Ferns**

This year we are offering some very lovely ferns which are listed according to whether or not they are sun or shade loving. Each, 25c.

### *Sun-loving*

CHEILANTHES

CRYPTOGRAMMA STELLERI

Rock Brake

PELLAEA

Cliff Brake

### *Shade-loving*

ADIANTUM PEDATUM

Maidenhair Fern

POLYSTICHUM VIVIPARUM

Spanish Fern

STRUTHIOPTERIS SPICANT

Deer Fern

## **Perennial Asters**

Excellent for color in summer and early fall.

### DWARF—25c each

COUNTESS OF DUDLEY—pink

DAPHNE—soft pink

MARJORIE—bright rose

NIOBE—white

TIBETICUS—lavendar

### TALL

25c each

BARR'S PINK—deep rose

ERECOIDES—tiny white flowers

LUTEUS—small yellow flowers

50c each

MRS. FRANCES CHILDERS—carmine rose

FRIKARTI—Wonder of Staffa—blue

HARRINGTON'S PINK—rosy pink



*Aquilegia chrysantha*

## Perennials

Few plants require less attention for the return given than the tall perennials which are used in borders and beds for summer color and which provide such quantities of cut flowers if well fertilized. Most of them prefer a sunny location.

AGROSTEMMA FLOS JOVIS—bright pink flowers, woolly leaves ...	\$ .25
ANTHEMIS TINCTORIA—bright yellow daisies, 3', July.....	.25
AQUILEGIA CHRYSANTHA—light yellow, 2', June.....	.25
A. CRIMSON STAR—striking red and yellow, 2', July.....	.25
A. LONGISSIMA—yellow, very long spurred, 4', July.....	.25
A. SCOTT ELLIOTT HYBRIDS—pastel shades, 3', July.....	.25
ARTEMISIA LACTIFLORA—creamy white, 4', August.....	.25
A. SILVER KING—silvery foliage, 3'.....	.25
ASTILBE ARENDSI FANAL—a new variety.....	.75
A. CHINENSIS—white, pink or rose, 18", June.....	.50
A. LILLIPUT—lower growing, pink.....	.75
CAMPANULA GLOMERATA—deep blue, 18", July.....	.25
C. PERSICIFOLIA—Peach Leaved Bells—blue, 3', June.....	.25
C. P. TELHAM BEAUTY—larger flowers of clear blue.....	.50
CENTAUREA CYANEA—Perennial Bachelor Button.....	.25
CHELONE TORREYI—scarlet, 20", July.....	.25
COREOPSIS GRANDIFLORA—bright yellow, 2', summer.....	.25
CORYDALIS LUTEA—bright yellow, 8", likes moisture .....	.25
DELPHINIUM CLIVEDEN BEAUTY—light blue, 5', summer.....	.25
DIGITALIS PURPUREA—Foxglove—mixed colors, 6', June.....	.25
D. SUTTON'S APRICOT—buds apricot opening to peach.....	.25
GAILLARDIA GOBLIN—red and yellow, 10", July.....	.35
GERANIUM MACULATUM—orchid, 18", June .....	.25
GYPSOPHILA PANICULATA—Baby's Breath—white, 4'.....	.25
HOSTA LANCIFOLIA—Funkia or Plantain Lily—lavendar.....	.25

H. MINOR ALBA—dwarf white form .....	.65
H. UNDULATA VARIEGATA—variegated leaf, blue flowers .....	.50
IRIS PSEUDACORUS—yellow, 3', July .....	.25
I. OCHROLEUCA—white with yellow claw, 3', June .....	.50
I. SIBIRICA—blue, 3', May, good for cutting .....	.25c and 1.00
I. SIBIRICA ALBA—white, 2' .....	.50
LYCHNIS CHALCEDONICA—Scarlet Lightning—3', June .....	.35
L. VISCARIA SPLENDENS FLORE PLENO—rosy red, 18" .....	.35
OENOTHERA SULPHUREA ODORA—Evening Primrose—3', July .....	.25
PAPAVER NUDICAULE—deep apricot, 18", all summer .....	.25
P. ORIENTALE—scarlet, 18", July .....	.50
PHLOX DECUSSATA—lavendar, pink or white .....	.35
AFRICA (red), LILLIAN (soft pink), SALMON QUEEN, SNOW- CAP, and SPATROT (salmon) .....	.50
PODOPHYLLUM PELTATUM—May Apple—white, 15", May .....	.50
POLEMONIUM CAERULEA—blue with yellow eye, 12", June .....	.35
PYRETHRUM ROSEUM—mixed colors, 2', May .....	.35
PHYLLIS (pink), PATRICIA (pink), or PURITY (white) .....	.50
STOKESIA LAEVIS—broad heads of blue, 12", summer .....	.50

*Delphinium Cliveden Beauty*





# Water Plants

A well planned pool will not only have water lilies, whose flowering season is short, but will contain bog and other water plants to lengthen the season of bloom and will also have some submerged oxygenating plants for the fish. Snails are good scavengers and will complete the balance of the water garden.

AZOLLA—Water Fern—per portion.....	\$0.10
ANACHARIS—Elodea—Fish Greens—per bunch .....	.25
BOGBEAN—large trifoliate lvs.....	.25
CATTAIL—6 ft., usurps all space available .....	.25
IRIS PSEUDACORUS—yellow, 3 ft., July .....	.25
I. VERSICOLOR—blue, 2 ft., July .....	.25
MYRIOPHYLLUM—Fish Greens—per bunch ..	.25
POTAMOGETON—Pondweed—submerged oxygenator .....	.25
SAGITTARIA LANCIFOLIA—white, 2 ft., May.....	.25
S. NATANS—submerged, 6".....	.25
S. SAGITTAEFOLIA—true Arrowhead, 2 ft., white .....	.25
WATER FORGET ME NOT—blue, 6", all summer.....	.25
WATER HYACINTH—floating, lavender, not hardy, do not order before May 1.....	.15 and .25
WATER POPPY—butter yellow, surface, May.....	.25
WATER LILIES—supply varies with the season—write for prices if interested.	
SNAILS—several varieties .....	.02
Trapdoor .....	.10
Occasionally are not available in the season when they are propagating.	

*Pool and Rockery*





A, Ramshorn Snails; B, Shell of Trapdoor Snail;  
 C, Pond Snails; FISHGREENS: D, Myriophyllum; E,  
 Anacharis; F, Nitella.



*Iberis saxatilis*

ROCK PLANTS	FUCHSIAS
HEATHERS	WATER PLANTS
CONIFERS	LADYSLIPPERS
DWARF BROOMS	PRIMROSES
CREEPERS AND	FERNS
GROUND COVERS	PERENNIALS
NATIVE AMERICAN PLANTS	

*Gentiana acaulis*

